


Status of the KIMS experiment

Chang Hyon Ha on behalf of the KIMS collaboration

Center for Underground Physics at Institute for Basic Science, Korea




KIMS (Korea Invisible Mass Search)




Yang Yang Laboratory (Y2L) Y2L Seoul **Upper Dam** Samcheok CUP-IBS KIMS-Nal 100 km Depth 700m **Power Plant** Access by car to the lab (2 km) **A6 Tunnel Lower Dam** KIMS-Cst Situated at Yang Yang Pumped Storage Power Plant

Yang Yang Laboratory (Y2L)



KIMS-CsI


12 Csl(Tl) 8.7 kg crystals (103 kg total)
Background level achieved at ~3 dru (counts/keV/kg/day) at 3 keV



5

WIMP Mass (GeV)

DAMA/LIBRA at NDM15 in Finland (last week)



...models...

- Which particle?
- Which interaction coupling?
- Which Form Factors for each target-material?
- Which Spin Factor?
- Which nuclear model framework?
- Which scaling law?
- Which halo model, profile and related parameters?
- Streams?

• ...

About interpretation

See e.g.: Riv.N.Cim.26 n.1(2003)1, IJMPD13(2004)2127, EPJC47(2006)263, IJMPA21(2006)1445, EPJC56(2008)333, PRD84(2011)055014, JMPA28(2013)1330022

...and experimental aspects...

- Exposures
- Energy threshold
- Detector response (phe/keV)
- Energy scale and energy resolution
- Calibrations
- Stability of all the operating conditions.
- Selections of detectors and of data.
- Subtraction/rejection procedures and stability in time of all the selected windows and related quantities
- Efficiencies
- Definition of fiducial volume and nonuniformity
- Quenching factors, channeling


• ...

Uncertainty in experimental parameters, as well as necessary assumptions on various related astrophysical, nuclear and particle-physics aspects, affect all the results at various extent, both in terms of exclusion plots and in terms of allowed regions/volumes. Thus comparisons with a fixed set of assumptions and parameters' values are intrinsically strongly uncertain.

No experiment can be directly compared in model independent way with DAMA



Motivation for KIMS-Nal



 Direct comparison to prove or dispute DAMA/ LIBRA claims using Nal crystal.

Nal(TI) Dark Matter Experiments

KIMS-Nal at YangYang Lab in Korea

- Six crystals (Alpha Spectra Inc. & Beijing Hamamatsu) have been tested
- ANAIS at Canfranc Lab in Spain
 - Two crystal (Alpha Spectra Inc.) detector (total 25kg) operational (since Oct, 2012)
- DM-Ice at 2.5km depth South Pole ice
 - Two crystals (total 17 kg) from NAIAD experiment (since June, 2011)
- · KamLAND-PICO, Japan
 - 15cmX15cmX0.1cm scintillator, Pb210 reduction ~ 60 μBq/kg level
- SABRE
 - Independent crystal growth with RMD Inc. High light yield (~20PE/keV)

Requirement of KIMS-Nal

- Achieve ultra-low background and lower energy threshold than DAMA/LIBRA (~1 dru at 2 keV) using the similar NaI crystal detectors and test annual modulation signal.
- Requirement :
 - Background level less than 1 dru (count/keV/kg/day) at 2 keV region.
 - 200 kg X 3 years of data would test the DAMA/ LIBRA signals

Crystal Background Evaluation & Background Reduction

- Nal(TI) crystal internal background screening: Estimate the internal background from data analyses.
 - K: Coincidence analysis with existing CsI crystal array.
 - U/Th/Pb: Time difference analyses with alpha events.
 - Cosmogenics: Coincidence analysis + Estimates from spectrum fit.
- Liquid scintillator veto: Reduces external backgrounds and residual internal backgrounds.
- Purification of NaI(TI) powder: Develops NaI(TI) powder purification techniques (verify with ICP-MS or several alpha detectors)

Six cylindrical NaI(TI) crystals evaluated at Y2L

	Nal-001	Nal-002	Nal-003	Nal-004	Nal-005	Nal-006
Mass	8.3 kg	9.2 kg	3.4 kg	3.4 kg	9.2 kg	11.4 kg
Powder	AS	AS	SA-AG	SA-CG	AS@	SA-CG
Crystal	AS	AS	AS	AS	AS	ВН
Arrival	2013.9	2014.1	2014.8	2014.8	2014.11	2014.12


AS = Alpha Spectra Inc (Denver, CO), BH = Beijing Hamamatsu (China)

AS[®] = WIMP-grade (less Pb210) SA-AG = Sigma Aldrich, Astro-Grade (less K40) SA-CG = Sigma Aldrich, Crystal-Grade

Crystal Screening Setup




- Use existing CsI(TI) array with upgraded PMTs
- PMT : Hamamatsu R12669
 - 35% Quantum Efficiency at 420 nm




- High light yield :
 ~15photoelectron/keV
- Readout : 400 MHz FADC (Notice Korea Inc.)
- Trigger: 1 photoelectron/PMT within 100 ns

PMT Noise Background Reduction I -fast event rejection


(events which register most of charge within first 50 ns)



PMT Background Reduction II -More PMT noise cuts (not done in DAMA)



Internal Crystal Background - K



Selection Efficiency calculated from MC

DAMA K(ppb)=10~20 ppb

	Nal-001	Nal-002	Nal-003	Nal-004	Nal-005	Nal-006
K(ppb)	41.4±3.0	49.3±2.4	25.3±2.4	>110	40.1±4.2	>150

Internal Crystal Background - K


DAMA K(ppb)=10~20 ppb

	Nal-001	Nal-002	Nal-003	Nal-004	Nal-005	Nal-006
K(ppb)	41.4±3.0	49.3±2.4	25.3±2.4	>110	40.1±4.2	>150
K(powder)	?	?	25.1	~200	?	~200
Powder	AS	AS	SA-AG	SA-CG	AS@	SA-CG

- K contamination is determined at powder level instead of crystal growth level.
- Powders from Alpha Spectra shows 40 ppb level K (Nal-001, 002, & 005)
- Sigma Aldrich Astro-Grade powder shows lower level of K at 25 ppb.
- A new crystal is being grown by using Sigma Aldrich 10 ppb level powder (ICP-MS measurement)
- R&D for K reduction in Nal(TI) powder is on-going.

Internal Crystal Background (Alpha analysis)

DAMA 238 U(mBq/kg)=0.009~0.13




Backgrounds from ²³⁸U and ²³²Th are small ²³²Th chain

$\alpha - \alpha$ coincidence 220 Rn - 216 Po - 212 Pb 110 90 80 70 60 $\tau = 209 \text{ ms}$ 50 0 = 0.5 = 1 = 1.5 = 2 = 2.5 = 3 = 3.5 = 4 = 4.5 = 5 $\Delta t \text{ (s)}$

AMA 238 U(mBq/kg)=0.009~0.13 232 Th(mBq/kg)=0.002~0.03 210 Pb(mBq/kg)=0.005~0.03

Radionuclei	Nal-001 [mBq/kg]	Nal-002 [mBq/kg]		
²³⁸ U (²¹⁴ Bi)	<0.007	<0.001		
²²⁸ Th (²¹⁶ Po)	<0.012	0.002±0.001		
²¹⁰ Po	3.28±0.02	1.76±0.01		
Total alphas	3.29±0.02	1.77±0.01		

²³⁸U chain




Berkeley Workshop on Dark Matter Detection, June 8-9

Internal Crystal Background (Alpha analysis)

DAMA: 210 Pb(mBq/kg)=0.005~0.03

	Nal-001	Nal-002	Nal-003	Nal-004	Nal-005	Nal-006
Total Alpha (mBq/kg)	3.29 ±0.01	1.77 ±0.01	2.43 ±0.01	_	0.48 ±0.004	1.53 ±0.01
Powder	AS	AS	SA-AG	SA-CG	AS@	SA-CG


- Later crystals exposed less air (Rn) in growing process
- Nal-005 had a better treatment of chemical process on powder



Internal Crystal Background (Alpha analysis)

- Radioactive dating with alpha rate analysis

- Alpha analysis for ²¹⁰Po estimates ²¹⁰Pb contamination.
- The prediction coincides with the crystal growth date for all crystals
- Need to understand how
 ²¹⁰Po(²¹⁰Pb) was contaminated
 - Powder purification
 - Measurement for the powder



Internal Crystal Background (Pb Purification R&D)


- Nal solution prepared with K and Pb artificially added
- 24h simple shaking applied with various resins
- Encouraging results for Pb
- Column chromatography (new) is under development.




Sorbent	Matrix	Application		³⁹ K (ppb)			²⁰⁸ Pb (ppb)			
Α	Inorganic, manganese dioxide	K ⁺ , Pb ²⁺	Resins	Bef.	Aft.	DF	Bef.	Aft.	DF	
В	Inorganic, zinc ferrocyanide	K ⁺	Α	223	254	0.9	1275	19	67	
С		Organic P macroporous	Pb ²⁺	В	463	375	1.2	1693	1589	1.1
anio	anion exchange copolymer		С	404	313	1.3	1653	5	330	

Without artificial contamination, preliminary results show about x3 reduction for Pb is possible.


Internal Crystal Background: Alpha counter (Plan to measure alpha particles in Nal powder)



Energy Spectrum of crystals



More Background Reduction -Liquid Scintillator Veto test setup





Additional reduction (70-80%) for backgrounds from U/Th/K with moderate veto thickness of 30-40cm

KIMS-Nal Preparation -Aim at <1 dru in 200 kg Nal(TI)

- 40K: expected at ~0.1 dru (2-4 keV)
 - ~10 ppb level crystal (grown from Sigma-Aldrich AstroGrade powder) is expected to arrive soon
 - Additional reduction from liquid scintillator veto
- · ²¹⁰Pb: expected at 0.2 mBq/kg
 - Currently at around 0.5 mBq/kg
 - Additional reduction expected from purification (expected 0.25 drug at 2 keV)
- External + Cosmogenic : expected at less than 0.5 dru (veto)

KIMS-Nal Site







200 kg NaI (TI) crystals
30 cm active LS veto
6 cm Cu
20 cm Pb (Gamma)
3 cm Plastic Scintillator (Muon)
30 cm Polyethylene(Neutron)


Conclusion

- Six Nal(TI) crystals are evaluated at Y2L for KIMS-Nal 200 kg experiment
- Various R&D programs identified background reduction methods for ultra-pure crystal production.
- Current background level at 6 keV is ~2 dru.
- The level is expected to reach ~1 dru at around 2 keV and then, KIMS-Nal will soon start data-taking.

Backup

A substantial fraction of the remnant energy appears on a much longer time scale as a kind of phosphorescence, on time scales of minutes, hours, or even days.-Nygren

Muons are selected by amplitude-weighted mean time and energy distribution, and the time difference between muons and the following low energy events are obtained



- The low energy events following muons passing through the crystal didn't show peculiar timing distribution up to 300 seconds.
- Will analyze more data and up to 1 hr in time difference.



